

Elcometer Digital Coating Thickness Gauge Accessories

JUMBO HAND GRIP

Ideal for precision placement for the most accurate results on flat and curved surfaces. Simply place the probe inside the Jumbo Hand Grip and take measurements

Description	Part Number
Jumbo Hand Grip - F & NF Probes	T9997766-
Jumbo Hand Grip – FNF Probe	T99913225
Use with the following probes: F1 Standard F2 Standard F4 Standard F5 Rebar N1 Standard N4 Standard FNF Standard	



V-PROBE ADAPTOR

Ideal for precision placement for the most accurate results on medium and large diameter curved surfaces such as pipes and cylinders.


Description	Part Number
V-Probe Adaptor - F & NF Probes	T9997381-
V-Probe Adaptor - FNF Probe	T99913133
Use with the following probes: F1 Standard F2 Standard F4 Standard F5 Rebar N1 Standard N4 Standard FNF Standard	



SOFT MATERIAL / BLANKET PROBE

Ideal for taking precision readings on soft coatings or print blankets. The wide, flat base design acts as a load spreader, reducing the total force at a single point.


Description	Part Number
Soft Material / Blanket Probe	T35511963



PROBE PLACEMENT JIG

For the most reliable and repeatable coating thickness measurements, making the gauge score highly in repeatability and reproducibility studies. Ideal for small and large components alike.

Description	Part Number
Probe Placement Jig	T95012880
Component Hand Vice – a simple vice to hold small components	T95013028
Cable Release Assembly – ideal for remote measurements	T95012888
N4 Probe Adaptor – must be purchased for use with N4 Probes	T95015589
FNF Probe Adaptor – must be purchased for use with FNF Probes	T95015961
Miniature Probe Adaptor - must be purchased for use with Miniature Probes	T95016896
Use with the following probes: F1 Standard F2 Standard F4 Standard F5 Rebar N1 Standard N4 Standard	



INFRARED PRINTER

This printer has been specifically selected for gauges which have IR output. Battery operated this unit is an ideal choice for printing out individual readings and statistical information - without using a cable.

Description	Part Number
Elcometer IR Printer	X99913877
Use with the following gauges with IR output: Elcometer 215 Elcometer 319 Elcometer 345 Elcometer 456	



ELCOMETER DOT MATRIX MINI PRINTER

This serial portable printer has an internal rechargeable battery and can accept a signal from all Elcometer Gauges with a cable output. Using a cable allows the user to be confident that all data stored in the gauge will be printed, without loss or interruption.

Description	UK 240V	EUR 220V	US 110V
Elcometer Dot Matrix Printer	X###9964B	X###9964C	X###9964D
Use with the following gauges with IR output: Elcometer 206 Elcometer 223 Elcometer 345 Elcometer 355 Elcometer 456			
Replace ### with the model number to receive the correct data cable			



Related products



Elcometer 345

The Elcometer 345 Coating Thickness Gauge is an incredibly versatile gauge. With a range of probes in both Integral or Separate probe versions for coating thickness measurements on Ferrous (F), Non Ferrous (NF) or both Ferrous and Non Ferrous (FNF) Substrates, the Elcometer 345 will have a gauge for your requirements.



Elcometer 355

Accuracy, simplicity, versatility and flexibility are the watchwords of the Elcometer 355, a truly state of the art hand-held measuring system packed with time-saving and cost cutting features. The key to the superiority of the Elcometer 355 is its measuring system which features a range of interchangeable Probe Modules capable of an accuracy of $\pm 1\%$ of the reading on a variety of coatings and substrates.



Elcometer 456

With its recently enhanced and simplified menu screen options, the Elcometer 456 remains the most advanced hand held coating thickness gauge on the market today. This flagship product is available in any combination of Basic, Standard and Top functionality; together with Integral (built in) and an extensive range of separate plug in probes. With such an extensive range of gauge options, there is an Elcometer 456 to meet your specific application needs.

ENGLAND

Elcometer Ltd
Edge Lane
Manchester M43 6BU

Tel: +44 (0) 161 371 6000
Fax: +44 (0) 161 371 6010
e-mail: sales@elcometer.com
www.elcometer.com

USA

Elcometer Inc
1893 Rochester Industrial Drive
Rochester Hills Michigan 48309

Tel: +1 248 650 0500
Toll free: 800 521 0635
Fax: +1 248 650 0501
e-mail: inc@elcometer.com
www.elcometer.com

KANADA

Elcometer Canada Ltd
PO Box 622, 401 Ouelette Avenue
Windsor, Ontario N9A 6N4

Tel: +1 248 650 0500
Toll Free: 800 521 0635
Fax: +1 248 650 0501
e-mail: ca_info@elcometer.com
www.elcometer.com

ASIEN & FERNOST

Elcometer (Asia) Pte Ltd
896 Dunearn Rd
Sime Darby Centre #3-09
Singapore 589472,
Republic of Singapore

Tel: +65 6462 2822
Fax: +65 6462 2860
e-mail: asia@elcometer.com
www.elcometer.com

BELGIEN

Elcometer SA
Rue Vallée 13
B-4681 Hermalle /s Argenteau

Tel: +32 (0)4 379 96 10
Fax: +32 (0)4 374 06 03
e-mail: be_info@elcometer.be
www.elcometer.be

FRANKREICH

Elcometer Sarl
97 Route de Chécý
45430 BOU

Tel: +33 (0)2 38 86 33 44
Fax: +33 (0)2 38 91 37 66
e-mail: fr_info@elcometer.fr
www.elcometer.fr

DEUTSCHLAND

Elcometer Instruments GmbH
Ulmer Strasse 68
D-73431 Aalen

Tel: +49 (0)7361 52806 0
Fax: +49 (0)7361 52806 77
e-mail: de_info@elcometer.de
www.elcometer.de