

Elcometer 1538 DIN Scratching Tool



Elcometer 1538 DIN Scratching Tool

At a glance

- *Interchangeable cutters.*
- *Various models available for use with various corrosion tests.*

Elcometer 1538 DIN Scratching Tool

The Elcometer 1538 has interchangeable carbide cutters for the preparation of specimens to be used for Salt Spray, and CASS Corrosion Tests.

Supplied complete with 1mm or 0.5 mm cutter.

A Renault-version of the tool, with optional blade adjustment device, is also available.

See also the Elcometer 1535 for an automatic scratch machine which provides the user with a repeatable and reproducible method of performing numerous test samples.

Corrosion

One of the many tests described in International Standards for evaluating the corrosion performance of a material is the long-established salt spray test.

Developed several decades ago with the aim of simulating a corrosive marine environment, the procedure has, over the years, become a key tool for predicting the performance of a coating and is now one of the standard references used by industry today.

Modern quality demands and new research have shown that the results of these tests can be optimised when the salt spray is combined with other methods, which may be of a cyclical nature or more aggressive.

Can be used in accordance with:

DIN 53167	DIN 50021
-----------	-----------

Model	Description	Part Number
Elcometer 1538/1	Elcometer 1538 DIN Scratch Tool with 1mm Cutter – CASS Test	K0001538M201
Elcometer 1538/2	Elcometer 1538 DIN Scratch Tool with 0.5mm Cutter – Salt Spray Test	K0001538M202
Elcometer 1538/3	Elcometer 1538 DIN Scratch Tool with 1mm Cutter – Renault Version	K0001538M005
Elcometer 1538/4	Elcometer 1538 DIN Scratch Tool with 0.5mm Cutter – Renault Version	K0001538M004
Accessories	Spare 0.5 mm Cutter (Elcometer 1538/2 & 1538/4)	KT001538N003
	Spare 1 mm Cutter (Elcometer 1538/1 & 1538/3)	KT001538N201
	Elcometer 1538 DIN Blade Adjustment Device	KT001538M103

Related products



Elcometer 1537

A scratching tool for preparing samples for Salt Spray and Cyclical Tests. The Elcometer 1537 has a tungsten carbide blade which is set to give a 90° cutting angle with a 75° cutting edge.

ENGLAND

Elcometer Ltd
Edge Lane
Manchester M43 6BU

Tel: +44 (0)161 371 6000
Fax: +44 (0)161 371 6010
e-mail: sales@elcometer.com
www.elcometer.com

USA

Elcometer Inc
1893 Rochester Industrial Drive
Rochester Hills Michigan 48309

Tel: +1 248 650 0500
Toll Free: 800 521 0635
Fax: +1 248 650 0501
e-mail: inc@elcometer.com
www.elcometer.com

CANADA

Elcometer Ltd
PO Box 622, 401 Ouelette Avenue
Windsor, Ontario N9A 6N4

Tel: +1 248 650 0500
Toll Free: 800 521 0635
Fax: +1 248 650 0501
e-mail: ca_info@elcometer.com
www.elcometer.com

ASIA & THE FAR EAST

Elcometer (Asia) Pte Ltd
896 Dunearn Rd
Sime Darby Centre #3-09
Singapore 589472,
Republic of Singapore

Tel: +65 6462 2822
Fax: +65 6462 2860
e-mail: asia@elcometer.com
www.elcometer.com

BELGIUM

Elcometer SA
Rue Vallée 13
B-4681 Hermalle /s Argenteau

Tel: +32 (0)4 379 96 10
Fax: +32 (0)4 374 06 03
e-mail: be_info@elcometer.be
www.elcometer.be

FRANCE

Elcometer Sarl
97 Route de Chécý
45430 BOU

Tel: +33 (0)2 38 86 33 44
Fax: +33 (0)2 38 91 37 66
e-mail: fr_info@elcometer.fr
www.elcometer.fr

GERMANY

Elcometer Instruments GmbH
Ulmer Strasse 68
D-73431 Aalen

Tel: +49 (0)7361 52806 0
Fax: +49 (0)7361 52806 77
e-mail: de_info@elcometer.de
www.elcometer.de