

Elcometer 7951 Minimix Paint Mixer



Elcometer 7951 Minimix Paint Mixer

At a glance

- *Used for mixing and blending pigments and additives in a coating*
- *Designed to fit under most dispensing machines*
- *Capacity of 5 litres*
- *Easy to use, efficient, quiet and safe*

Can be used in accordance with:

BS7002; 1989	EN 60 950:1988
--------------	----------------

Elcometer 7951 Minimix Paint Mixer

The Elcometer 7951 Paint Mixer is a very effective device for mixing and blending pigments and additives in a coating.

With a 5 litre (1.3 US Gallon) capacity and an overall dimension size of 55 x 58 x 75 cm (21.6 x 22.8 x 29.5”) the Elcometer 7951 has been designed to fit under most dispensing machines.

Easy to use, efficient, quiet and safe, the Elcometer 7951 has a range of features, which include:

- Visual display of time selected and countdown in seconds
- 30, 45, and 90 second shaking cycles
- Operation instructions displayed
- Electronic diagnostics of the electrical system

Safety features to prevent incorrect use including:

- Door lock delay keeps door locked until all movement has stopped
- Switches off if the can becomes loose
- Machine will not run if no can is present or if the can has not been properly clamped
- Override facility for shaking difficult plastic containers
- Enclosed cabinet for Improved Health and Safety

Can Dimensions:

- Maximum can size Diameter: 24 cm (9.4”)
- Maximum can height: 26cm (10.2”)
- Maximum weight: 12 kg (26.4lb)

Dispersion

In order to ensure that the materials in a coating are uniformly dispersed or mixed, it is necessary to blend the constituent elements.

Model	Description	Part Number		
		UK 240V	EUR 220V	US 110V
Elcometer 7951/1	Elcometer 7951 Paint Mixer – 5 litre (1.3 US Gallon)	K0UK7951M001	K0007951M001	K0US7951M001

Related products



Elcometer Viscosity Cup

Very easy to use instruments of anodized aluminium with a stainless steel orifice. Viscosity Flow Cups are used for measuring the consistency of paints, varnishes and other similar products.



Elcometer FRIKMAR

Thanks to their handles, the Elcometer Dip Cups are very easy to use and performs quick controls on the construction site, in the workshop, or during the manufacturing process.



Elcometer 2210

These easy to use Zahn Cups, fabricated out of stainless steel are ideal for quick viscosity measurement of products on site or during production.

ENGLAND

Elcometer Ltd
Edge Lane
Manchester M43 6BU

Tel: +44 (0)161 371 6000
Fax: +44 (0)161 371 6010
e-mail: sales@elcometer.com
www.elcometer.com

USA

Elcometer Inc
1893 Rochester Industrial Drive
Rochester Hills Michigan 48309

Tel: +1 248 650 0500
Toll Free: 800 521 0635
Fax: +1 248 650 0501
e-mail: inc@elcometer.com
www.elcometer.com

CANADA

Elcometer Ltd
PO Box 622, 401 Ouelette Avenue
Windsor, Ontario N9A 6N4

Tel: +1 248 650 0500
Toll Free: 800 521 0635
Fax: +1 248 650 0501
e-mail: ca_info@elcometer.com
www.elcometer.com

ASIA & THE FAR EAST

Elcometer (Asia) Pte Ltd
896 Dunearn Rd
Sime Darby Centre #3-09
Singapore 589472,
Republic of Singapore

Tel: +65 6462 2822
Fax: +65 6462 2860
e-mail: asia@elcometer.com
www.elcometer.com

BELGIUM

Elcometer SA
Rue Vallée 13
B-4681 Hermalle /s Argenteau

Tel: +32 (0)4 379 96 10
Fax: +32 (0)4 374 06 03
e-mail: be_info@elcometer.be
www.elcometer.be

FRANCE

Elcometer Sarl
97 Route de Chécý
45430 BOU

Tel: +33 (0)2 38 86 33 44
Fax: +33 (0)2 38 91 37 66
e-mail: fr_info@elcometer.fr
www.elcometer.fr

GERMANY

Elcometer Instruments GmbH
Ulmer Strasse 68
D-73431 Aalen

Tel: +49 (0)7361 52806 0
Fax: +49 (0)7361 52806 77
e-mail: de_info@elcometer.de
www.elcometer.de